: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

Date:

Thursday, 12/04/2007 6:54:37 AM

User:

Linda Lacelle

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services

Job Number : 31806 **Estimate Number** : 10530

P.O. Number AG: This Issue

S.O. No. : N/A : 12/04/2007

Prsht Rev. First Issue

: 31719

Type

: MACHINED PARTS

Drawing Revision Material

Due Date

Drawing Name

Part Number

Drawing Number

Project Number

: D2571

: D2571 REV E

: N/A

: 19/04/2007

Qty:

10 Um: Each

Checked & Approved By

Comment

I 02.10.02 Re-format; Change to Dwg Rev. D & incorporated D2572KJ

Additional Product

Previous Run

Written By

Job Number:



Seq. #:

Machine Or Operation:

Description:

7075-T7351 8.25X7.75X2.5

1.0 D6101007



Total:

1.0000 Each(s)/Unit 7075-T7351 8.25X7.75X2.5

Make from D6101-007 billet for D2571

Ensure that grain is along 7.75" length

2.0 HAAS1 10.0000 Each(s)

HAAS CNC VERTICAL MACHINING #1

Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 351806 Double check by:

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

CONVENTIONAL MILLING MACHINE

3.0 MILLING CONV.

Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2571 & D2572

Dart Aerospace Ltd

	. oopao.					
W/O:		WORK ORDER	CHANGES			
DATE	STEP	~ PROCEDURE CHANGE	By Dat	te Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #: Fault Category:	NCR: Yes No	DQA: <u></u>	Date: _	09/05/02
			QA: N/C CI	osed:	Date: _	
NCR:		WORK ORDER NON-CON	IFORMANCE (NCR)			

NCR:			WORK ORDER NON-CONFORMANCE (NCR)									
DATE		Description of NC		Corrective Action Section B	Verification	Approval	Annroyal					
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspecto				
		•										
·												
				,								
					1							

NOTE: Date & initial all entries

Date: Thursday, 12/04/2007 6:54:37 AM User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Job Number: 31806 Part Number: D2571 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 5.0 QC8 SECOND CHECK Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE # 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING 4103706 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERS 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion


Dart Aerospace Ltd

W/O:	;	WORK ORDER CHA	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:			

QA: N/C Closed: ____ Date: __

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B		Verification	Annaval					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				
				·			,					
r = ===												
		4.										
							ļ- 					

NOTE: Date & initial all entries



Dart Ae	rospace	e Ltd							
W/O:			W	ORK ORDER CHANGES	•				
DATE	STEP	PRO	PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							or initial and the second of t		
								,	
						•			
Part No	•	PAR #:	Fault Cat	egory: No	CR: Yes	No DQ	A:	Date:	
					QA: N	/C Close	d:	_ Date: _	
NCR:		V	ORK ORE	DER NON-CONFORMANC	E (NCF	R)			
		Description of NC	Description of NC Corrective Action Se			Verific	ration		Annroyal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	on Sign & Date		on C	Approval Chief Eng	Approval QC Inspector
								:	
							•		
					_				
·	-								

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	3(806
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Re	corded Act	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		0.440	0.440	0.440	ه ۰۷۷٥		
В	1.745	1.755		1.749	1,747	1740	1.747		
С	3.495	3.505		3500	3.500	3.500	3.301		
D	1.745	1.755		1.749	1.747	1.748	1,748		
E	7.990	8.010		2.00	8,001	8.001	100.8		
F	0.490	0.510		5.495	0.498	. 458	1794		
G	0.257	0.262		0.260	0.266	0.760	0.266		
Н	0.375	0.380		0.377	0.377	0.377	0.377		
I	0.490	0.510		6501	0.502	1.500	1000		
J	1.174	1.184		1.174	W177	1.177	1.177		
K	0.558	0.578		6.564	0.565	.563	-565		
L	1.174	1.184		1.174	1.133	1.175	1.176		
M	1.490	1.500		1. 44	1.492	1.494	1,412		•
N	2.495	2.505		7.496	2.496	2.485	2.458		
0	3.869	3.879		3.870	3.870	3.871	7.871		
Р	0.115	0.135		0177	0.177	127	-126		
Q	0.115	0.135		0.135	0.135	6-135	6.135		
R	0.240	0.260		0.251	B.252	250	.254		
S	0.115	0.135		0.127	0.131	.131	.127		
Т	0.178	0.198		6.188	0.188	0.188	2.561		
U	2.940	2.980		2.960	2.960	7.960			
V	0.230	0.250		10.231	6.237	-231	-233		
W	0.115	0.135		0.171	6-121	.121	. 121		
Х	0.308	0.313		0.311	0.311	- 311	- 3/2		
Y	0.760	0.765		0.765	0.765	0-765	0.765		
Z	0.352	0.372		0.360	0.365	1.364	.363		
AA	0.470	0.530		0.500	6.500	8.506	0.500		
AB	0.615	0.635		0.625	0.625	.625	-627		
AC_	0.053	0.073		0.063	0.063	0.063	6.063		
AD	0.240	0.260		0-25	0-251	-25/	- 7.22		
AE	1.375	1.395		1.386	1.38	1385	1.385		
AF	0.115	0.135		0135	0.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	0.266	0.260		
AH	0.240	0.260		0.252)	0.252	.252	(251		
ΑI	2.000	2.020		2001	2.001	2.000	2000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
	Acc	ept/Reje	ct						

Λ	
Measured by: SA SA	Audited by
Date: 07.07.24	Date: 07/04/27

Rev	Date	Change	Revised by Approve				
Α		New Issue	RF				
В	02.09.24	Re-format; Added Rev. D	KJ				
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ				
D	05.05.05	Added dimension AI	KJ/RF				
E	05.12.05	Added dimension AJ	KJ/JLM				



DART AEROSPACE LTD	Work Order:	3/806
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Re	ons				
Dim	Min	Max	Go/No Go Gauge	1	2	3	3 4		Date
Α	0.438	0.443		.440	,440	0.440	0.440		
В	1.745	1.755		1.748	1.748	1.749	1.748		
С	3.495	3.505		3.499	3.499	3.499	3.498		
D	1.745	1.755		1.749	845.1	1.749	1.748		
E	7.990	8.010		8.002	B.001	8.002	8.004		
F	0.490	0.510		.494	.494	0.497	0.494		
G	0.257	0.262		.258	,728	0.260	0.260		
Н	0.375	0.380		.376	276	6.377	0.377		
	0.490	0.510		JP 4.	,496	0.500	0501		
J	1.174	1.184		1.176	1.177	1.175	4175		
K	0.558	0.578		.564	.564	0.567	0.563		
L	1.174	1.184		1.176	1.176	1.178	1,175		· · · · · · · · · · · · · · · · · · ·
М	1.490	1.500		1.494	1.495	1.495	1.494		
N	2.495	2.505		3499	2.500	2.500	2498		
0	3.869	3.879		3.871	3.871	3.872	3871		
Р	0.115	0.135		.124	152	0.127	0.176		
Q	0.115	0.135		135	132	0.131	0.135		
R	0.240	0.260		,252	·323	6-752	0.257		
S	0.115	0.135		1,125	/52	0.131	6.130		
T	0.178	0.198		381.	381.	6.188	0.1938		
U	2.940	2.980		2.960	2.960	2.960	2.560		
V	0.230	0.250		.238	338	6.286	0.737		
W	0.115	0.135		135	133	0.121	6.126		
Х	0.308	0.313		018,	.310	0.311	0.311		
Y	0.760	0.765		.762	763	0.765	0765		
Z	0.352	0.372		,365	.365	6.362	0.365		
AA	0.470	0.530		.500	~5co	6500	0-520		
AB	0.615	0.635		んとし	627	0.677	0.628		
AC	0.053	0.073		(20).	E20.	0.063	0.063		
AD	0.240	0.260		.247	.248	0749	0.250		
AE	1.375	1.395		1.386	1.385	1.386	1.386		
AF	0.115	0.135		.135	.135	0.135	0.135		
AG	0.240	0.280		.258	1258	0.250	0.266		
AH	0.240	0.260		.246	246	6.250	0.748		
Al	2.000	2.020		2.000	2.00	2.001	2.001		
AJ	0.023	0.043		1604	.032	0.033	0 033		
	Acc	ept/Reje	ct			<u> </u>			

Measured by: On / MS Audited by J. F. Date: Date: 07/04/27								
		weasured by: 💸	o /	B. A.)	/ tualica by i	JI	۴.	
	ſ	Date:	C	27/04/25	Date:		07/04/	27

Rev Date		Change	Revised by	Approved
· A		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	31806
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

		-		Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	.1	2	3	4	Ву	Date
Α	0.438	0.443		0.440	5.440	,	,)	
В	1.745	1.755		1.748	1.750				
С	3.495	3.505		3499	3500				
D	1.745	1.755		1.748	1.750				
E	7.990	8.010		2002	8.004			·	
F	0.490	0.510		6.497	0.2/93			-	
G	0.257	0.262		0.260	0.260	\			
Н	0.375	0.380		0:377	0.377		7 0		
Ī	0.490	0.510		0.563	N.Cos	Ī			
J	1.174	1.184		1.17-8	1,176				
K	0.558	0.578		0.566	0.563		-		
L	1.174	1.184		1.178	1.178				
М	1.490	1.500		1.178	1.496				
N	2.495	2.505		2.499	2.497				
0	3.869	3.879		2.499	3.870				
Р	0.115	0.135		0.127	6.126				
Q	0.115	0.135		0-135	6.135	<u>'</u>	-		
R	0.240	0.260		0.253	0.252	T -			
S	0.115	0.135		0.130	6.131				
Т	0.178	0.198		0/88	0.138			•	
U	2.940	2.980		2.960	2.960			-	
V	0.230	0.250		6.736	0.238				
W	0.115	0.135		6.120	6.124				
Х	0.308	0.313		0.371	0.3//				
Y	0.760	0.765		0.765	0.765	<u> </u>			
Z	0.352	0.372		0.367	0.362		_T		
AA	0.470	0.530		0.500	6.500		•	. [
AB	0.615	0.635		0.676	0.627				
AC	0.053	0.073		0.063	0.063	Ę.			
AD	0.240	0.260		0.249	0.253				
ΑE	1.375	1.395		1. 385	1.385				
AF	0.115	0.135		0-135	0.135	_ :			
AG	0.240	0.280		0260	0.260	<u>.</u>	0.		
AH	0.240	0.260		6.253	0.252				
ΑI	2.000	2.020		2.001	2.000				
AJ	0.023	0.043		0-033	0033	<u></u>			
	Acc	ept/Reje	ct					_ `	

Measured by: 🗽	Audited by T.F.
Date: 07104127-	Date: 07/04/27

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11 Re-format; Added DT8682, DT8683, DT8684		KJ	
D	05.05.05	Added dimension Al	KJ/RF	
Е	05.12.05	Added dimension AJ	KJ/JLM	